AUTHOR INDEX

PAGE

Adgie, R. L., Palmer, H. P. and Penston, M. V., A new variable radio source in Cygnus ... 31P

Allen, D. A. and Glass, I. S., Emission-line stars with infrared dust emission: implications of the galactic distribution 579

Bahng, J. D. R., Photoelectric spectrophotometry of Wolf–Rayet stars 611

Bale, F., White, G. J., Parker, E. A., Nicholson, P. S. and Macdonald, G. H., Detection of H_2O emission from the far-infrared source AFCRL (UOA) 19 ... ... 37P

Barlow, Michael, J. and Wright, Alan E., The radio and infrared spectrum of early-type stars undergoing mass loss 41

Blandford, R. D., Amplification of radiation by relativistic particles in a strong magnetic field 551

Blandford, R. D., The propagation of wave modes in ultrarelativistic magnetoactive plasma—I 619

Bolton, A. J. C., Dearborn, D. S. and Eggleton, P. P., The effect of the $^{12}C/^{13}C$ ratio of repeated deep mixing to the hydrogen burning shell in a red giant 7P

Bonnor, W. B. and Wickramasuriya, S. B. P., Are very large gravitational redshifts possible? 643

Brickhill, A. J., The gravity oscillations of white dwarfs 405

Buselli, G., Thomas, R. M., Davison, P. J. N. and Clancy, M. C., Southern hard X-ray sources 569

Charles, P. A., Culhane, J. L., Fabian, A. C., Mitchell, R. J. and Zarnecki, J. C., Copernicus: The X-ray spectrum of Puppis-A 61P

Charles, P. A., Longair, M. S. and Sanford, P. W., Copernicus: X-ray observations of 3C 390.3 17P

Chincarini, Guido, Rood, Herbert, J. and Welch, Gary A., A re-analysis of the dynamics of the nearby groups of galaxies 441

Cohen, R. J. and Davies, R. D., A possible new segment of the Magellanic stream in the northern sky 23P

Clancy, M. C. (*see* Buselli, G.)

Crampton, D., Hutchings, J. B. and Redman, R. O., Spectroscopic investigations of X Persei (=2U 0352+30?) 313

Cruise, A. M., Aperture synthesis in X-ray astronomy 305

Cruise, A. M. and Willmore, A. P., The analysis of data from rotation modulation collimators 165

Culhane, J. L. (*see* Charles, P. A.)

Cummings, E. R. and Davies, R. D., 21 cm observations of hot neutral intercloud gas ... 95

Da Costa, G. S., Faulkner, D. J. and Prentice, A. J. R., Hydrogen–helium inhomogeneities and the solar neutrino problem 589

Dainty, J. C. and Scaddan, R. J., Measurements of the atmospheric transfer function at Mauna Kea, Hawaii 519

Das, P. K. and Tarafdar, S. P., Importance of bound–free opacity of OH and CH in solar stellar atmospheres 559

Davies, R. D., A very high velocity H I cloud in the direction of M31 ... ... 45P

Davies, R. D. and Cohen, R. J., A possible new segment of the Magellanic stream in the northern sky 23P

Davies, R. D. and Cummings, E. R., 21 cm observations of hot neutral intercloud gas ... 95

Davies, R. D. and Dean, J. F., The integrated neutral hydrogen properties of nearby galaxies 503

Davison, P. J. N. (*see* Buselli, G.)

Dean, J. F. and Davies, R. D., The integrated neutral hydrogen properties of nearby galaxies 503

Dearborn, D. S. (*see* Bolton, A. J. C.)

Disney, M. J. and Hopper, P. B., The alignment of interstellar dust clouds and the differential z-field of the Galaxy 177

Eggleton, P. P. (*see* Bolton, A. J. C.)

Elliott, K. H. and Meaburn, J., Line splitting across the massive neutral intrusions in M16 ... 237

Fabian, A. C. (*see* Charles, P. A.)

Fabian, A. C. and Rowan-Robinson, M., Extragalactic X-ray sources and the X-ray background 199

Faulkner, D. J. (*see* Da Costa, G. S.)

Fawcett, B. C. and Hayes, R. W., Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines 185

Flannery, Brian P., The location of the hot spot in cataclysmic variable stars as determined from particle trajectories 325

Gillespie, A. R., Investigations into reported anisotropies in radio source counts and spectra at 1421 MHz 541

Glass, I. S. and Allen, D. A., Emission-line stars with infrared dust emission: implications of the galactic distribution 579

Greenberg, Richard, Commensurabilities of satellites' apsidal precession periods 295

Gunn, J. E. and Longair, M. S., An investigation of the optical fields of 35 3CR radio sources to faint limiting optical magnitudes 121

Guthrie, B. N. G. and Napier, W. McD., Black dwarf stars as missing mass in clusters of galaxies 7

AUTHOR INDEX

PAGE

Adgie, R. L., Palmer, H. P. and Penston, M. V., A new variable radio source in Cygnus ... 31P

Allen, D. A. and Glass, I. S., Emission-line stars with infrared dust emission: implications of the galactic distribution 579

Bahng, J. D. R., Photoelectric spectrophotometry of Wolf–Rayet stars 611

Bale, F., White, G. J., Parker, E. A., Nicholson, P. S. and Macdonald, G. H., Detection of H_2O emission from the far-infrared source AFCRL (UOA) 19 ... ... 37P

Barlow, Michael, J. and Wright, Alan E., The radio and infrared spectrum of early-type stars undergoing mass loss 41

Blandford, R. D., Amplification of radiation by relativistic particles in a strong magnetic field 551

Blandford, R. D., The propagation of wave modes in ultrarelativistic magnetoactive plasma—I 619

Bolton, A. J. C., Dearborn, D. S. and Eggleton, P. P., The effect of the $^{12}C/^{13}C$ ratio of repeated deep mixing to the hydrogen burning shell in a red giant 7P

Bonnor, W. B. and Wickramasuriya, S. B. P., Are very large gravitational redshifts possible? 643

Brickhill, A. J., The gravity oscillations of white dwarfs 405

Buselli, G., Thomas, R. M., Davison, P. J. N. and Clancy, M. C., Southern hard X-ray sources 569

Charles, P. A., Culhane, J. L., Fabian, A. C., Mitchell, R. J. and Zarnecki, J. C., Copernicus: The X-ray spectrum of Puppis-A 61P

Charles, P. A., Longair, M. S. and Sanford, P. W., Copernicus: X-ray observations of 3C 390.3 17P

Chincarini, Guido, Rood, Herbert, J. and Welch, Gary A., A re-analysis of the dynamics of the nearby groups of galaxies 441

Cohen, R. J. and Davies, R. D., A possible new segment of the Magellanic stream in the northern sky 23P

Clancy, M. C. (*see* Buselli, G.)

Crampton, D., Hutchings, J. B. and Redman, R. O., Spectroscopic investigations of X Persei (=2U 0352+30?) 313

Cruise, A. M., Aperture synthesis in X-ray astronomy 305

Cruise, A. M. and Willmore, A. P., The analysis of data from rotation modulation collimators 165

Culhane, J. L. (*see* Charles, P. A.)

Cummings, E. R. and Davies, R. D., 21 cm observations of hot neutral intercloud gas ... 95

Da Costa, G. S., Faulkner, D. J. and Prentice, A. J. R., Hydrogen–helium inhomogeneities and the solar neutrino problem 589

Dainty, J. C. and Scaddan, R. J., Measurements of the atmospheric transfer function at Mauna Kea, Hawaii 519

Das, P. K. and Tarafdar, S. P., Importance of bound–free opacity of OH and CH in solar stellar atmospheres 559

Davies, R. D., A very high velocity H I cloud in the direction of M31 ... ... 45P

Davies, R. D. and Cohen, R. J., A possible new segment of the Magellanic stream in the northern sky 23P

Davies, R. D. and Cummings, E. R., 21 cm observations of hot neutral intercloud gas ... 95

Davies, R. D. and Dean, J. F., The integrated neutral hydrogen properties of nearby galaxies 503

Davison, P. J. N. (*see* Buselli, G.)

Dean, J. F. and Davies, R. D., The integrated neutral hydrogen properties of nearby galaxies 503

Dearborn, D. S. (*see* Bolton, A. J. C.)

Disney, M. J. and Hopper, P. B., The alignment of interstellar dust clouds and the differential z-field of the Galaxy 177

Eggleton, P. P. (*see* Bolton, A. J. C.)

Elliott, K. H. and Meaburn, J., Line splitting across the massive neutral intrusions in M16 ... 237

Fabian, A. C. (*see* Charles, P. A.)

Fabian, A. C. and Rowan-Robinson, M., Extragalactic X-ray sources and the X-ray background 199

Faulkner, D. J. (*see* Da Costa, G. S.)

Fawcett, B. C. and Hayes, R. W., Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines 185

Flannery, Brian P., The location of the hot spot in cataclysmic variable stars as determined from particle trajectories 325

Gillespie, A. R., Investigations into reported anisotropies in radio source counts and spectra at 1421 MHz 541

Glass, I. S. and Allen, D. A., Emission-line stars with infrared dust emission: implications of the galactic distribution 579

Greenberg, Richard, Commensurabilities of satellites' apsidal precession periods 295

Gunn, J. E. and Longair, M. S., An investigation of the optical fields of 35 3CR radio sources to faint limiting optical magnitudes 121

Guthrie, B. N. G. and Napier, W. McD., Black dwarf stars as missing mass in clusters of galaxies 7

PAGE

Harris, Stella, High-resolution radio observations of the sources near K3–50 139
Harwood, J. M., Nather, R. E., Walker, A. R., Warner, B. and Wild, P. A. T., Photoelectric observations of lunar occultations 229
Hawkes, R. L. and Jones, J., Television observations of faint meteors—I. Mass distribution and diurnal rate variation 363
Hayes, R. W. and Fawcett, B. C., Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines 185
Hinkle, Kenneth H. and Lambert, David L., Formation of molecular lines in stellar atmospheres 447
Holmes, Jonathan A., The confinement of galactic cosmic rays by Alfvén waves 251
Hopper, P. B. and Disney, M. J., The alignment of interstellar dust clouds and the differential z-field of the Galaxy 177
Hummer, D. G. and Rybicki, G. B., A note on the 'peaking effect' in spherical-geometry transfer problems 423
Hutchings, J. B. (*see* Crampton, D.)
John, T. L., The free–free transitions of atomic and molecular negative ions in the infrared ... 5
John, T. L. and Morgan, D. J., The free–free transitions of the negative chlorine ion ... 1
Jones, J. and Hawkes, R. L., Television observations of faint meteors—I. Mass distribution and diurnal rate variation 363
Jordan, Carole, The intensities of helium lines in the solar EUV spectrum 429
Lambert, David L. and Hinkle, Kenneth H., Formation of molecular lines in stellar atmospheres 447
Lambert, David L. and Sneden, Christopher, Isotopic abundance ratios for carbon and nitrogen in Nova Herculis 1934 533
Lin, D. N. C., The optical properties of binary star systems with accretion discs 379
Little, L. T. (*see* Bale, F.)
Longair, M. S. (*see* Charles, P. A.)
Longair, M. S. and Gunn, J. E., An investigation of the optical fields of 35 3CR radio sources to faint limiting optical magnitudes 121
Longair, M. S. and Readhead, A. C. S., The spatial distribution and cosmological evolution of scintillating radio sources 393
Macdonald, G. H. (*see* Bale, F.)
MacGillivray, H. T., Obscuration in and around the Small Magellanic Cloud 241
Mallia, E. A., The asymptotic giant branch in NGC 6397 ... ... 57P
Mason, H. E., The excitation of several iron and calcium lines in the visible spectrum of the solar corona 651
McEllin, M., The flux-density variations of the radio emission from Cygnus X-3 ... ... 1P
Meaburn, J. and Elliott, K. H., Line splitting across the massive neutral intrusions in M16 237
Millar, T. J. and Williams, D. A., Interstellar formaldehyde production 51P
Mitchell, R. J. (*see* Charles, P. A.)
Morgan, D. J. and John, T. L., The free–free transitions of the negative chlorine ion ... 1
Napier, W. McD. and Guthrie, B. N. G., Black dwarf stars as missing mass in clusters of galaxies 7
Nather, R. E. (*see* Harwood, J. M.)
Nicholson, P. S. (*see* Bale, F.)
O'Connell, Robert W., Saslaw, William C. and Turner, Barry E., On the absence of detectable formaldehyde in the direction of Centaurus A 29P
Okamoto, I., Force-free pulsar magnetosphere—II. The steady, axisymmetric theory for a normal plasma 81
Palmer, H. P. (*see* Adgie, R. L.)
Parker, E. A. (*see* Bale, F.)
Penston, M. V. (*see* Adgie, R. L.)
Percy, John R., A linear, non-adiabatic pulsation analysis of models of dwarf Cepheid variable stars 155
Prentice, A. J. R., On the solar neutrinos and the method of spherically averaged rotation ... 67P
Prentice, A. J. R. (*see* Da Costa, G. S.)
Pringle, J. E., Period changes in eruptive binaries 633
Readhead, A. C. S. and Longair, M. S., The spatial distribution and cosmological evolution of scintillating radio sources 393
Reddish, V. C., Star formation in clouds of molecular hydrogen 261
Redman, R. O. (*see* Crampton, D.)
Riley, J. M., The structures and properties of 4C radio sources in Abell clusters—I ... 53
Rood, Herbert J. (*see* Chincarini, Guido)
Ross, Hugh N. and Seaquist, E. R., The high frequency radio spectra of secondary standard sources 115
Rowan-Robinson, M. and Fabian, A. C., Extragalactic X-ray sources and the X-ray background 199

PAGE

Roxburgh, Ian W., Solar neutrinos and solar rotation 35P
Roxburgh, Ian W. and Tavakol, Reza, The gravitational theories of Poincaré and Milne and the non-Riemannian kinematic models of the Universe 599
Rybicki, G. B. and Hummer, D. G., A note on the ' peaking effect ' in spherical-geometry transfer problems 423
Sanford, P. W. (*see* Charles, P. A.)
Saslaw, William C. (*see* O'Connell, Robert)
Scaddan, R. J. and Dainty, J. C., Measurements of the atmospheric transfer function at Mauna Kea, Hawaii 519
Schmidt, Edward G., On the colour excesses of the long-period cepheids 39P
Scott, P. F., High-resolution observations of planetary nebulae at 5 GHz 487
Seaquist, E. R. and Ross, Hugh N., The high frequency radio spectra of secondary standard sources 115
Seaton, M. J., Collision strengths for [N II], [O III], [Ne II] and [Ne III] 475
Selmes, Rosemary A., Tritton, K. P. and Wordsworth, R. W., Optical monitoring of radio source—IV. Results up to 1973 April 15
Sneden, Christopher and Lambert, David, Isotopic abundance ratios for carbon and nitrogen in Nova Herculis 1934 533
Stothers, Richard and Wilson, Robert E., On angular momentum transfer in binary systems 497
Tarafdar, S. P. and Das, P. K., Importance of bound–free opacity of OH and CH in solar stellar atmospheres 559
Tavakol, Reza and Roxburgh, Ian W., The gravitational theories of Poincaré and Milne and the non-Riemannian kinematic models of the Universe 599
Thomas, R. M. (*see* Buselli, G.)
Tritton, K. P. (*see* Selmes, Rosemary)
Turland, B. D., Observations of M87 at 5 GHz with the 5-km telescope 281
Turner, Barry E. (*see* O'Connell, Robert W.)
Van Flandern, Thomas C., A determination of the rate of the change of *G* 333
Walker, A. R. (*see* Harwood, J. M.)
Warner, B. (*see* Harwood, J. M.)
Warner, Brian, Observations of rapid blue variables—XV. VW Hydri 219
Welch, Gary A. (*see* Chincarini, Guido)
White, G. J. (*see* Bale, F.)
Wickramasinghe, N. C., Polyoxymethylene polymers as interstellar grains 11P
Wickramasuriya, S. B. P. and Bonnor, W. B., Are very large gravitational redshifts possible? 643
Wild, P. A. T. (*see* Harwood, J. M.)
Williams, D. A. and Millar, T. J., Interstellar formaldehyde production 51P
Williams, P. M., Stellar compositions from narrow-band photometry—V. Barium abundances for 200 evolved stars 343
Willmore, A. P. and Cruise, A. M., The analysis of data from rotation modulation collimators 165
Wilson, Robert E. and Stothers, Richard, On angular momentum transfer in binary systems ... 497
Wordsworth, R. W. (*see* Selmes, Rosemary)
Wright, Alan E. and Barlow, Michael, J., The radio and infrared spectrum of early-type stars undergoing mass loss 41
Zarnecki, J. C. (*see* Charles, P. A.)

SUBJECT INDEX

PAGE

Celestial mechanics
Commensurabilities of satellites' apsidal precession periods, *Richard Greenberg* 295
A determination of the rate of change of G, *Thomas C. Van Flandern* 333

Cosmic rays
The confinement of galactic cosmic rays by Alfvén waves, *Jonathan A. Holmes* 251

Cosmology
Black dwarf stars as missing mass in clusters of galaxies, *W. McD. Napier and B. N. G. Guthrie* 7
Extragalactic X-ray sources and the X-ray background, *M. Rowan-Robinson and A. C. Fabian* 199
A determination of the rate of change of G, *Thomas C. Van Flandern* 333
The spatial distribution and cosmological evolution of scintillating radio sources, *A. C. S. Readhead and M. S. Longair* 393

PAGE

The gravitational theories of Poincaré and Milne and the non-Riemannian kinematic models of the Universe, *Ian W. Roxburgh and Reza Tavakol* 599

Data reduction

The analysis of data from rotation modulation collimators, *A. M. Cruise and A. P. Willmore* 165

Galactic structure and stellar dynamics

The alignment of interstellar dust clouds and the differential z-field of the Galaxy, *M. J. Disney and P. B. Hopper* 177

Emission-line stars with infrared dust emission: implications of the galactic distribution, *D. A. Allen and I. S. Glass* 579

Galaxies

Black dwarf stars as missing mass in clusters of galaxies, *W. McD. Napier and B. N. G. Guthrie* 7

Optical monitoring of radio sources—IV. Results up to 1973 April, *Rosemary A. Selmes, K. P. Tritton and R. W. Wordsworth* 15

The structures and properties of 4C radio sources in Abell clusters—I, *J. M. Riley* 53

An investigation of the optical fields of 35 3CR radio sources to faint limiting optical magnitudes, *M. S. Longair and J. E. Gunn* 121

Extragalactic X-ray sources and the X-ray background, *M. Rowan-Robinson and A. C. Fabian* 199

Observations of M87 at 5 GHz with the 5-km telescope, *B. D. Turland* 281

A re-analysis of the dynamics of the nearby groups of galaxies, *Guido Chincarini, Herbert J. Rood and Gary A. Welch* 441

The integrated neutral hydrogen properties of nearby galaxies, *J. F. Dean and R. D. Davies* 503

On the absence of detectable formaldehyde in the direction of Centaurus A, *Robert W. O'Connell, William C. Saslaw and Barry E. Turner* 29P

A very high velocity H I cloud in the direction of M31, *R. D. Davies* 45P

General relativity

Are very large gravitational redshifts possible?, *W. B. Bonnor and S. B. P. Wickramasuriya* 643

Infrared astronomy

The radio and infrared spectrum of early-type stars undergoing mass loss, *Alan E. Wright and Michael J. Barlow* 41

Detection of H_2O emission from the far-infrared source AFCL (UOA) 9, *G. J. White, L. T. Little, E. A. Parker, P. S. Nicholson, G. H. Macdonald and F. Bale* 37P

Instruments and techniques

Aperture synthesis in X-ray astronomy, *A. M. Cruise* 305

Measurement of the atmospheric transfer function at Mauna Kea, Hawaii, *J. C. Dainty and R. J. Scaddan* 519

Interstellar medium

21-cm observations of hot neutral hydrogen gas, *R. D. Davies and E. R. Cummings* 95

The alignment of interstellar dust clouds and the differential z-field of the Galaxy, *M. J. Disney and P. B. Hopper* 177

Obscuration in and around the Small Magellanic Cloud, *H. T. MacGillivray* 241

The confinement of galactic cosmic rays by Alfvén waves, *Jonathan A. Holmes* 251

Polyoxymethylene polymers as interstellar grains, *N. C. Wickramasinghe* 11P

Interstellar formaldehyde production, *T. J. Millar and D. A. Williams* 51P

Magellanic clouds

Obscuration in and around the Small Magellanic Cloud, *H. T. MacGillivray* 241

A possible new segment of the Magellanic stream in the northern sky, *R. J. Cohen and R. D. Davies* 23P

Meteors

Television observations of faint meteors—I. Mass distribution and diurnal rate variation, *R. L. Hawkes and J. Jones* 363

Nebulae—gaseous

High-resolution radio observations of the sources near K3–50, *Stella Harris* 139

Line splitting across the massive neutral intrusions in M16, *K. H. Elliott and J. Meaburn* ... 237

Star formation in clouds of molecular hydrogen, *V. C. Reddish* 261

Detection of H_2O emission from the far-infrared source AFCL (UOA) 9, *G. J. White, L. T. Little, E. A. Parker, P. S. Nicholson, G. H. Macdonald and F. Bale* 37P

PAGE

Interstellar formaldehyde production, *T. J. Millar and D. A. Williams* 51P
Copernicus: The X-ray spectrum of Puppis-A, *P. A. Charles, J. L. Culhane, A. C. Fabian, R. J. Mitchell and J. C. Zarnecki* 61P

Nebulae—planetary
High resolution observations of planetary nebulae at 5 GHz, *P. F. Scott* 487

Occultations
Photoelectric observations of lunar occultations, *J. M. Harwood, R. E. Nather, A. R. Walker, B. Warner and P. A. T. Wild* 229

Physical processes
Force-free pulsar magnetosphere—II. The steady, axisymmetric theory for a normal plasma, *I. Okamoto* 81
A linear, non-adiabatic pulsation analysis of models of dwarf Cepheid variable stars, *John R. Percy* 155
The alignment of interstellar dust clouds and the differential z-field of the Galaxy, *M. J. Disney and P. B. Hopper* 177
The confinement of galactic cosmic rays by Alfvén waves, *Jonathan A. Holmes* 251
The location of the hot spot in cataclysmic variable stars as determined from particle trajectories, *Brian P. Flannery* 325
The optical properties of binary star systems with accretion discs, *D. N. C. Lin* 379
The gravity oscillations of white dwarfs, *A. J. Brickhill* 405
A note on the ' peaking effect ' in spherical-geometry transfer problems, *G. B. Rybicki and D. G. Hummer* 423
On angular momentum transfer in binary systems, *Robert E. Wilson and Richard Stothers* ... 497
Amplification of radiation by relativistic particles in a strong magnetic field, *R. D. Blandford* 551
Hydrogen–helium inhomogeneities and the solar neutrino problem, *D. J. Faulkner, G. S. Da Costa and A. J. R. Prentice* 589
The propagation of wave modes in ultrarelativistic magnetoactive plasma—I, *R. D. Blandford* 619
Are very large gravitational redshifts possible?, *W. B. Bonnor and S. B. P. Wickramasuriya* ... 643
Solar neutrinos and solar rotation, *Ian W. Roxburgh* 35P

Pulsars
Force-free pulsar magnetospheres—II. The steady, axisymmetric theory for a normal plasma, *I. Okamoto* 81

Quasars
Optical monitoring of radio sources—IV. Results up to 1973 April, *Rosemary A. Selmes, K. P. Tritton and R. W. Wordsworth* 15
An investigation of the optical fields of 35 3CR radio sources to faint limiting optical magnitudes, *M. S. Longair and J. E. Gunn* 121
A new variable radio source in Cygnus, *R. L. Adgie, H. P. Palmer and M. V. Penston* ... 31P

Radio astronomy
Optical monitoring of radio sources—IV. Results up to 1973 April, *Rosemary A. Selmes, K. P. Tritton and R. W. Wordsworth* 15
The radio and infrared spectrum of early-type stars undergoing mass loss, *Alan E. Wright and Michael J. Barlow* 41
The structures and properties of 4C radio sources in Abell clusters—I, *J. M. Riley* 53
21-cm observations of hot neutral intercloud gas, *R. D. Davies and E. R. Cummings* 95
The high frequency radio spectra of secondary standard sources, *Hugh N. Ross and E. R. Seaquist* 115
An investigation of the optical field of 35 3CR radio sources to faint limiting optical magnitudes, *M. S. Longair and J. E. Gunn* 121
High-resolution radio observations of the sources near K3–50, *Stella Harris* 139
Observations of M87 at 5 GHz with the 5-km telescope, *B. D. Turland* 281
The spatial distribution and cosmological evolution of scintillating radio sources, *A. C. S. Readhead and M. S. Longair* 393
High resolution observations of planetary nebulae at 5 GHz, *P. F. Scott* 487
The integrated neutral hydrogen properties of nearby galaxies, *J. F. Dean and R. D. Davies* ... 503
Investigations into reported anisotropies in radio source counts and spectra at 1421 MHz, *A. R. Gillespie* 541
Amplification of radiation by relativistic particles in a strong magnetic field, *R. D. Blandford* 551
The flux-density variations of the radio emission from Cygnus X-3, *M. McEllin* 1P

PAGE

Copernicus: X-ray observations of 3C 390.3, *P. A. Charles, M. S. Longair and P. W. Sanford* 17P
A possible new segment of the Magellanic stream in the northern sky, *R. J. Cohen and R. D. Davies* 23P
On the absence of detectable formaldehyde in the direction of Centaurus A, *Robert W. O'Connell, William C. Saslaw and Barry E. Turner* 29P
A new variable radio source in Cygnus, *R. L. Adgie, H. P. Palmer and M. V. Penston* ... 31P
Detection of H_2O emission from the far-infrared source AFCL (UOA) 9, *G. J. White, L. T. Little, E. A. Parker, P. S. Nicholson, G. H. Macdonald and F. Bale*... ... ... 37P
A very high velocity H I cloud in the direction of M31, *R. D. Davies* 45P

Site testing

Measurements of the atmospheric transfer function at Mauna Kea, Hawaii, *J. C. Dainty and R. J. Scaddan* 519

Spectroscopy

The free–free transitions of the negative chlorine ion, *T. L. John and D. J. Morgan*... ... 1
The free–free transitions of atomic and molecular negative ions in the infrared, *T. L. John* ... 5
Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines, *B. C. Fawcett and R. W. Hayes* 185
Collision strengths for [N II], [O III], [Ne II] and [Ne III], *M. J. Seaton* 475

Stars

The gravity oscillations of white dwarfs, *A. J. Brickhill* 405
Emission-line stars with infrared dust emission: implications of the galactic distribution, *D. A. Allen and I. S. Glass* 579

Stars—angular diameters of

Photoelectric observations of lunar occultations, *J. M. Harwood, R. E. Nather, A. R. Walker, B. Warner and P. A. T. Wild* 229

Stars—atmospheres of

The radio and infrared spectrum of early-type stars undergoing mass loss, *Alan E. Wright and Michael J. Barlow* 41
Formation of molecular lines in stellar atmospheres, *Kenneth H. Hinkle and David L. Lambert* 447
Importance of bound–free opacity of OH and CH in solar and stellar atmospheres, *S. P. Tarafdar and P. K. Das* 559

Stars—binary

Photoelectric observations of lunar occultations, *J. M. Harwood, R. E. Nather, A. R. Walker, B. Warner and P. A. T. Wild* 229
The optical properties of binary star systems with accretion discs, *D. N. C. Lin* 379
On angular momentum transfer in binary systems, *Robert E. Wilson and Richard Stothers* ... 497
Period changes in eruptive binaries, *J. E. Pringle* 633

Stars—chemical composition of

Stellar compositions from narrow-band photometry—V. Barium abundances for 200 evolved stars, *P. M. Williams* 343
Isotopic abundance ratios for carbon and nitrogen in Nova Herculis 1934, *Christopher Sneden and David L. Lambert* 533
The asymptotic giant branch in NGC 6397, *E. A. Mallia* 57P

Stars—magnetic fields in

Force-free pulsar magnetosphere—II. The steady, axisymmetric theory for a normal plasma, *I. Okamoto* 81

Stars—photometry of

Stellar compositions from narrow-band photometry—V. Barium abundances for 200 evolved stars, *P. M. Williams* 343
Photoelectric spectrophotometry of Wolf–Rayet stars, *J. D. R. Bahng* 611
On the colour excesses of the long-period Cepheids, *Edward G. Schmidt* 39P

Stars—spectroscopy of

Spectroscopic investigations of X Persei (=2U 0352+30?), *J. B. Hutchings, D. Crampton and R. O. Redman*... 313

PAGE

Formation of molecular lines in stellar atmospheres, *Kenneth H. Hinkle and David L. Lambert* 447
The excitation of several iron and calcium lines in the visible spectrum of the solar corona, *H. E. Mason* 651
The asymptotic giant branch in NGC 6397, *E. A. Mallia* 57P

Stars—structure and evolution of
Star formation in clouds of molecular hydrogen, *V. C. Reddish* 261
Hydrogen–helium inhomogeneities and the solar neutrino problem, *D. J. Faulkner, G. S. Da Costa and A. J. R. Prentice* 589
The effect on the $^{12}C/^{13}C$ ratio of repeated deep mixing to the hydrogen burning shell in a red giant, *D. S. Dearborn, A. J. C. Bolton and P. P. Eggleton* 7P
On solar neutrinos and the method of spherically averaged rotation, *A. J. R. Prentice* ... 67P

Stars—variable
A linear, non-adiabatic pulsation analysis of models of dwarf Cepheid variable stars, *John R. Percy* 155
Observations of rapid blue variables—XV. VW Hydri, *Brian Warner* 219
The location of the hot spot in cataclysmic variable stars as determined from particle trajectories, *Brian P. Flannery* 325
Isotopic abundance ratios for carbon and nitrogen in Nova Herculis 1934, *Christopher Sneden and David L. Lambert* 535
On the colour-excesses of the long-period Cepheids, *Edward G. Schmidt* 39P

Sun
Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines, *B. C. Fawcett and R. W. Hayes* 185
The intensities of helium lines in the solar EUV spectrum, *Carole Jordan* 429
Importance of bound–free opacity of OH and CH in solar and stellar atmospheres, *S. P. Tarafdar and P. K. Das* 559
Hydrogen–helium inhomogeneities and the solar neutrino problem, *D. J. Faulkner, G. S. Da Costa and A. J. R. Prentice* 589
The excitation of several iron and calcium lines in the visible spectrum of the solar corona, *H. E. Mason* 651
Solar neutrinos and solar rotation, *Ian W. Roxburgh* 35P
On solar neutrinos and the method of spherically averaged rotation, *A. J. R. Prentice* ... 67P

Ultraviolet astronomy
The intensities of helium lines in the solar EUV spectrum, *Carole Jordan* 429

X-ray astronomy
The analysis of data from rotation modulation collimators, *A. M. Cruise and A. P. Willmore* 165
Classification of spectra of K, Ca, Sc, Ti, V and Cr and extrapolation to Fe solar flare lines, *B. C. Fawcett and R. W. Hayes* 185
Extragalactic X-ray sources and the X-ray background, *M. Rowan-Robinson and A. C. Fabian* 199
Aperture synthesis in X-ray astronomy, *A. M. Cruise* 305
Spectroscopic investigation of X Persei (=2U 0352+30?), *J. B. Hutchings, D. Crampton and R. O. Redman* 313
Southern hard X-ray sources, *R. M. Thomas, P. J. N. Davison, M. C. Clancy and G. Buselli* 569
The flux-density variations of the radio emission from Cygnus X-3, *M. McEllin* 1P
Copernicus: X-ray observations of 3C 390.3, *P. A. Charles, M. S. Longair and P. W. Sanford* 17P
Copernicus: the X-ray spectrum of Puppis-A, *P. A. Charles, J. L. Culhane, A. C. Fabian, R. J. Mitchell and J. C. Zarnecki* 61P

PAGE
447
651
57P
261
589
7P
67P
155
219
325
535
39P
185
429
559
589
651
35P
67P
429
165
185
199
305
313
569
1P
17P
61P